

Plug & Play Micro Horizontal Bend LED Neon Flex - 24V - 4mm x 10mm - IP65 - 5M Reel



SKU: PPS24-0410-NEON-5M



24V



>90
CRI

IP65



- ▶ Micro Design
- ▶ IP65 Protection
- ▶ Great flexibility
- ▶ 3 Colour Options
- ▶ Plug & Play
- ▶ 3YR Warranty

Description

- ▶ Features Syndeo Plug & Play Connector
- ▶ High purity silica gel material
- ▶ Micro 4x10mm design
- ▶ CE & UKCA certification
- ▶ Indoor use only

Electrical Data


SKU	Voltage	Current Consumption			Power Consumption		
		Max.	Typ.	5m	Max.	Typ.	5m
PPS24-0410-NEON-5M	24V	0.3A/m	0.3A/m	1.5A	7.9W/m	7.2W/m	36W

Photometric & Light Data


Colour Temperature	CRI	Beam Angle	Dimmable	LEDs / m	Lumens / m	Cut Points
3000K	>90	120°	Yes	168 LEDs	240lm	41.66mm
4000K	>90	120°	Yes	168 LEDs	270lm	41.66mm
6000K	>90	120°	Yes	168 LEDs	270lm	41.66mm

Mechanical Data


IP Rating	Bend Diameter	Cable Length	Cable End	IK Rating
IP65	60mm	500mm	Double End	IK06
Working Temp.	Storage Temp.	Lifespan	Warranty	Material
-0°C ~ +45°C	-0°C ~ +45°C	36,000 hours	3 Years	Silicone
Length	Length Tolerance	Width	Height	
5000mm	±15mm	4mm	10mm	



Dimensions



Light Distribution




► Note: the above data is based on 24V 4000K colour temperature. If you require other IES files please get in touch.

Available SKUs

SKU	Length	Colour
PPS24-3K-0410-NEON-5M	5000mm	3000K

Accessories

NEONMICRO410/CLIPS



Mounting clip (pack of 10)

NEONMICRO410-ENDCAPS



End cap (pack of 5)

0410-ENDCAPS-S



End cap (set of 4)

NEONMICRO410-ALUCHAN1M



Aluminium Track (1000mm)